



Stock List:

>>Offset- Printing Machines


Picture	Model- characterization description
	<p><b>Heidelberg GTO-52+</b></p> <ul style="list-style-type: none"><li>- Single- colour sheet offset printing machine,</li><li>- Printing format 36 cm x 52 cm,</li><li>- Manufacturing year 1985,</li><li>- Plus- Version,</li><li>- 14 Mio. prints,</li><li>- Conventional dampening,</li><li>- Single- sheet feeder with pre- stacking unit,</li><li>- Weight 1.350 kg,</li><li>- Power supply 380V</li></ul>

Stock List:  
>> Letterpress

Picture	Model- characterization description
	<p><b>Heidelberg OHT</b></p> <ul style="list-style-type: none"><li>- Tiegel size 26 x 38 cm,</li><li>- 2 closing frames,</li><li>- Several accessoires,</li><li>- Weight 1.100 kg,</li><li>- Power supply 380V</li></ul>

Stock List:

>>Book Bindery

Picture	Model- characterization description
	<p><b>Stapler Nagel</b></p> <ul style="list-style-type: none"> <li>- Type ENAK 50-200,</li> <li>- Manual stapler for pads up to 170 sheets,</li> <li>- Staple length 6- 20 mm,</li> <li>- Staple types 50,</li> <li>- Throat depth 130 mm</li> </ul>
	<p><b>Stapler Nagel</b></p> <ul style="list-style-type: none"> <li>- Type Tak 18</li> <li>- Stapler for pads up to 140 sheets,</li> <li>- Staple length 6- 18 mm,</li> <li>- Staple type 50,</li> <li>- Throat depth 30 mm,</li> <li>- Table dimension 310 x 190 mm,</li> <li>- Adjustable backgauge,</li> <li>- Safety device,</li> <li>- Foot switch,</li> <li>- Power supply 230V</li> </ul>




Stock List:

>>Book Bindery

Picture	Model- characterization description
	<p><b>Gluing machine Tränklein</b></p> <ul style="list-style-type: none"> <li>- Two roller gluing system,</li> <li>- 300 mm working size,</li> <li>- Works with cold glue,</li> <li>- Scrapers for an equal glue application,</li> <li>- Glue quantity adjustable,</li> <li>- Glue tray made of brass,</li> <li>- Pressure bar attachment for cardboards,</li> <li>- Easy handling,</li> <li>- Power supply 380V</li> </ul>
	<p><b>Gluing machine Sumbel</b></p> <ul style="list-style-type: none"> <li>- Two roller gluing system,</li> <li>- 350 mm working size,</li> <li>- Works with cold glue,</li> <li>- Motor speed continuously adjustable,</li> <li>- Scrapers for an equal glue application,</li> <li>- Glue quantity adjustable,</li> <li>- Glue tray made of brass,</li> <li>- Easy handling,</li> <li>- Power supply 380V</li> </ul>
	<p><b>Edge Gluing machine</b></p> <ul style="list-style-type: none"> <li>- Type Tränklein,</li> <li>- Single Roller Edge Gluer,</li> <li>- Adjustable working size 60 mm,</li> <li>- 2 side scrapers,</li> <li>- Height adjustable glue tank,</li> <li>- Mounted on coated plate,</li> <li>- Power supply 380V,</li> </ul>




Stock List:

>>Book Bindery

Picture	Model- characterization description
	<p><b>Foil- cutting machine G.S. 700</b></p> <ul style="list-style-type: none"> <li>- Working width up to 74 cm,</li> <li>- Optimal appropriate for stamp- foil,</li> <li>- Easy handling,</li> <li>- Sliding arm with knife is adjustable for any position on the bar,</li> <li>- quick clamp- mechanism for fast foil change</li> <li>- Power supply 230V</li> </ul>
	<p><b>Laminator DuPont</b></p> <ul style="list-style-type: none"> <li>- Type Duo Lam A3,</li> <li>- Mach. Nr. T1BH 4006,</li> <li>- Manufacturing year 1994,</li> <li>- Working width 40 cm,</li> <li>- 2 laminate units with heated rolls,</li> <li>- Adjustable temperature from 110°C – max. 160°C,</li> <li>- Temperature indication over electronic display,</li> <li>- Hand application,</li> <li>- For hand and feed operation,</li> <li>- Power supply 230V</li> </ul>
	<p><b>Spindle press Type Schandl</b></p> <ul style="list-style-type: none"> <li>- Format 40 x 50 cm,</li> <li>- Manufactured in our special factory,</li> <li>- Heavy steel construction,</li> <li>- Spindle with axial- thrust bearing,</li> <li>- Hand- wheel from Alu- cast,</li> <li>- Weight approx. 80kg,</li> <li>- Underframe on request</li> </ul>

Stock List:

>>Book Bindery

Picture	Model- characterization description
	<p><b>Card- board cutting machine</b></p> <ul style="list-style-type: none"> <li>- With cutting length 110 cm, 125 cm, 150 cm available.</li> <li>- Narrow strip cutting device</li> </ul>
	<p><b>Loop- machine Hang</b></p> <ul style="list-style-type: none"> <li>- Type Piccolo III,</li> <li>- Hand operation,</li> <li>- For loops with 4,5 mm diameter</li> </ul>
	<p><b>Corner- die cutter</b></p> <ul style="list-style-type: none"> <li>- 1 over and under knife sharpened</li> </ul>

Stock List:

>>Book Bindery

Picture	Model- characterization description
	<p><b>4- spindle Paper drilling machine</b></p> <ul style="list-style-type: none"> <li>- Type Nagel Citoborma 480AB,</li> <li>- Model 1989,</li> <li>- Pile height 60 mm,</li> <li>- Table width 480 mm,</li> <li>- Adjustable spindle distance 19- 425 mm,</li> <li>- Foot switch,</li> <li>- Sliding table with measuring scale,</li> <li>- Weight 280 kg,</li> <li>- Power supply 380V</li> </ul>
	<p><b>1- spindle Paper drilling- machine</b></p> <ul style="list-style-type: none"> <li>- Type Hang,</li> <li>- Table with adjustable sidestop,</li> <li>- Heavy version,</li> <li>- Pile height 50 mm,</li> <li>- Power supply 380V</li> </ul>
	<p><b>Book edge rounding machine Hunkeler</b></p> <ul style="list-style-type: none"> <li>- Type BRM 50,</li> <li>- Working width 50 cm,</li> <li>- Book thickness 0- 100 mm,</li> <li>- Book thickness with hand wheel adjustable,</li> <li>- Weight 350 kg,</li> <li>- Noiseless operation,</li> <li>- Dimensions: B x H x T: 70 x 120 x 65 cm</li> <li>- Power supply 380V</li> </ul>

Stock List:

>>Book Bindery

Picture	Model- characterization description
	<p><b>Electical Spindle press Hunkeler</b></p> <ul style="list-style-type: none"> <li>- Press size 45 x 72 cm,</li> <li>- Power supply 380V</li> </ul>
	<p><b>Collator KAS</b></p> <ul style="list-style-type: none"> <li>- Type Spacesaver,</li> <li>- 10 stations,</li> <li>- Format A4,</li> <li>- Counter,</li> <li>- Sort delivery,</li> <li>- Easy handling,</li> <li>- Power supply 230V</li> </ul>
	<p><b>Sewing machine Brehmer Polygraph</b></p> <ul style="list-style-type: none"> <li>- Type 39 3/4,</li> <li>- Manufacturing year 1964,</li> <li>- With all accessories,</li> <li>- Weight 475 kg,</li> <li>- Power supply 230V</li> </ul>





Stock List:

>>Book Bindery

Picture	Model- characterization description
	<p><b>Creasing a. Perforating machine Pernuma</b></p> <ul style="list-style-type: none"> <li>- Type 1485K,</li> <li>- Model 1962</li> <li>- Working width 70 cm,</li> <li>- Max. 20 sheets,</li> <li>- 1 perforating tool,</li> <li>- 1 creasing tool,</li> <li>- Power supply 380V</li> </ul>
	<p><b>Creasing a. Perforating machine Bickel</b></p> <ul style="list-style-type: none"> <li>- Type HK 3/61,</li> <li>- Working width 61 cm,</li> <li>- Max. 20 sheets,</li> <li>- Manufacturing year 1971,</li> <li>- 1 perforating tool,</li> <li>- 1 creasing tool,</li> <li>- Power supply 380V/ 50Hz</li> </ul>
	<p><b>Cardboard Creasing- machine</b></p> <ul style="list-style-type: none"> <li>- Type Sächs. Masch. AG,</li> <li>- Working width 75 cm,</li> <li>- Adjustable crease,</li> <li>- Power supply 230V/ 380V</li> </ul>



Stock List:

>>Book Bindery


Picture	Model- characterization description
	<p><b>Die cutting platen Monopol</b></p> <ul style="list-style-type: none"> <li>- Max. Format 40 x 60 cm,</li> <li>- Closing frame a. several accessories,</li> <li>- speed continuously adjustable,</li> <li>- Weight 1.500kg,</li> <li>- Dimensions: B x H x T: 140 x 120 x 110 cm</li> <li>- Power supply 380V</li> </ul>
	<p><b>Die cutting platen Phönix</b></p> <ul style="list-style-type: none"> <li>- Format 36 x 60 cm,</li> <li>- Heavy cast steel construction,</li> <li>- Double printing marks,</li> <li>- Hand- feeding device,</li> <li>- 2 closing frames,</li> <li>- Various accessories,</li> <li>- Weight 2000 kg,</li> <li>- Dimensions: B x H x T: 130 x 110 x 120 cm</li> <li>- Power supply 380V</li> </ul>

The Die- Cutters are on the pictures partially dismanteld

Stock List:  
 >>Guillotines

Picture	Model- characterization description
 <p data-bbox="320 965 687 994">Machine on picture dismanteld</p>	<p data-bbox="778 416 927 445"><b>Herold 82</b></p> <ul data-bbox="778 474 1198 1055" style="list-style-type: none"> <li>- High- speed cutting machine,</li> <li>- Standard model,</li> <li>- Manufacturing year 1968,</li> <li>- Cutting width: 82 cm,</li> <li>- Table depth: 82 cm,</li> <li>- Cutting height: 8 cm,</li> <li>- Front table length: 48 cm,</li> <li>- Complete overhauled,</li> <li>- Hydraulic clamp,</li> <li>- Pressure continuously adjustable,</li> <li>- Electro- mechanical back gauge a. blade- drive,</li> <li>- Two hand- cutting mechanism,</li> <li>- Optical measurement,</li> <li>- 2 cutting knives,</li> <li>- Weight approx. 800 kg,</li> <li>- Dimensions: B x H x T; 152 x 136 x 170 cm</li> <li>- Power supply 380V</li> </ul>
	<p data-bbox="778 1093 863 1122"><b>FL-76</b></p> <ul data-bbox="778 1151 1198 1709" style="list-style-type: none"> <li>- High- speed cutting machine,</li> <li>- Type FL-76 PR,</li> <li>- Manufacturing year 1986,</li> <li>- Cutting width: 76 cm,</li> <li>- Hydraulic clamp,</li> <li>- Pressure continuously adjustable ,</li> <li>- Program control IC,</li> <li>- Digital Display,</li> <li>- Air- tables,</li> <li>- Optical cutting device,</li> <li>- Two hand- cutting mechanism,</li> <li>- Light- barriers,</li> <li>- Safety covers,</li> <li>- 2 cutting knives ,</li> <li>- Weight approx. 900 kg ,</li> <li>- Dimensions: B x H x T: 342 x 138 x 190 cm</li> <li>- Power supply 380V</li> </ul>

Stock List:  
 >>Guillotines

Picture	Model- characterization description
	<p><b>Polar 72-CE</b></p> <ul style="list-style-type: none"> <li>- High- speed cutting machine,</li> <li>- Manufacturing year 1980,</li> <li>- Cutting width: 72 cm,</li> <li>- Table depth: 72 cm,</li> <li>- Hydraulic clamp,</li> <li>- Airtable,</li> <li>- Pressure continuously adjustable,</li> <li>- Electro- mechanical back gauge a. blade- drive,</li> <li>- Two hand- cutting mechanism,</li> <li>- Optical measurement,</li> <li>- Safety covers,</li> <li>- 2 hardened cutting knives,</li> <li>- Weight approx. 850 kg,</li> <li>- Power supply 380V</li> </ul>

Stock List:

>>Pre- Press equipment

Picture	Model- characterization description
	<p><b>Plate- copy machine Sixt</b></p> <ul style="list-style-type: none"> <li>- Type UKK/ CNC,</li> <li>- Model 1987,</li> <li>- Mach. Nr. 21805,</li> <li>- Format 60 x 70 cm,</li> <li>- Litter- light,</li> <li>- Point- light,</li> <li>- Exposure times separate adjustable,</li> <li>- Input by keypad,</li> <li>- Power supply 230V</li> </ul>
	<p><b>Plate- copy machine Dicopa</b></p> <ul style="list-style-type: none"> <li>- Type P-806-G screen,</li> <li>- Format 115 x 95 cm,</li> <li>- Model 1990,</li> <li>- Upper exposure,</li> <li>- Litter- foil,</li> <li>- Power supply 230V</li> </ul>
<p>no picture</p>	<p><b>Silk- screen printing- copy machine</b></p> <ul style="list-style-type: none"> <li>- Format 110 x 140 cm,</li> <li>- Bacher steering,</li> </ul>